











7. Gilberts EC, Beekman WH, Stevens HJ, Wereldsma JC. Prospective randomized trial of open versus percutaneous surgery for trigger digits. *J Hand Surg* 2001; 26A:497-500.
8. Dierks U, Hoffmann R, Meek MF. Open versus percutaneous release of the A1-pulley for stenosing tendovaginitis: a prospective randomized trial. *Tech Hand Up Extrem Surg* 2008; 12:183-7.
9. Wilhelmi BJ, Mowlavi A, Neumeister MW, Bueno R, Lee WP. Safe treatment of trigger finger with longitudinal and transverse landmarks: an anatomic study of the border fingers for percutaneous release. *Plast Reconstr Surg* 2003; 112:993-9.
10. Jongjirasiri Y. Length and landmark of A1 pulley in hand: an anatomical study. *J Med Assoc Thai* 2009; 92:41-6.
11. Hazani R, Engineer NJ, Zeineh LL, Wilhelmi BJ. Assessment of the distal extent of the A1 pulley release: a new technique. *Eplasty* 2008; 8:423-7.
12. Chern TC, Jou IM, Yen SH, Lai KA, Shao CJ. Cadaver study of sonographically assisted percutaneous release of the A1 pulley. *Plast Reconstr Surg* 2005; 115:811-22.
13. Eastwood DM, Gupta KJ, Johnson DP. Percutaneous release of the trigger finger: an office procedure. *J Hand Surg* 1992; 17A:114-7.
14. Patel MR, Moradia VJ. Percutaneous release of trigger digit with and without cortisone injection. *J Hand Surg* 1997; 22A:150-5.
15. Bain GI, Turnbull J, Charles MN, Roth JH, Richards RS. Percutaneous A1 pulley release: a cadaver study. *J Hand Surg* 1995; 20A:781-4.
16. Jou IM, Chern TC. Sonographically assisted percutaneous release of the a1 pulley: a new surgical technique for treating trigger digit. *J Hand Surg* 2006; 31B:191-9.
17. Paulius KL, Maguina P. Ultrasound-Assisted Percutaneous Trigger Finger Release: Is it Safe? *Hand (NY)* 2009; 4:35-7.
18. Cihantimur B, Akin S, Ozcan M. Percutaneous treatment of trigger finger. 34 fingers followed 0.5-2 years. *Acta Orthop Scand* 1998; 69:167-8.
19. Ha KI, Park MJ, Ha CW. Percutaneous release of trigger digits. *J Bone Joint Surg (Br)* 2001; 83-B:75-7.
20. Lyu SR. Closed division of the flexor tendon sheath for trigger finger. *J Bone Joint Surg (Br)* 1992; 74-B:418-20.
21. Cebesoy O, Kose KC, Baltaci ET, Isik M. Percutaneous release of the trigger thumb: is it safe, cheap and effective? *Int Orthop* 2007; 31:345-9.
22. Fu YC, Huang PJ, Tien YC, Lu YM, Fu HH, Lin GT. Revision of incompletely released trigger fingers by percutaneous release: results and complications. *J Hand Surg* 2006; 31A:1288-91.
23. Bain GI, Wallwork NA. Percutaneous A1 pulley release: a clinical study. *J Hand Surg* 1999; 4:45-50.
24. Dunn MJ, Pess GM. Percutaneous trigger finger release: a comparison of a new push knife and a 19-gauge needle in a cadaver model. *J Hand Surg* 1999; 24A:860-5.
25. Pope DF, Wolfe SW. Safety and efficacy of percutaneous trigger finger release. *J Hand Surg* 1995; 20A:280-3.
26. Carrozzella J, Stern PJ, Von Kuster LC. Transection of radial digital nerve of the thumb during trigger release. *J Hand Surg* 1989; 14A:198-200.
27. Moriya K, Uchiyama T, Kawaji Y. Comparison of the surgical outcomes for trigger finger and trigger thumb: preliminary results. *J Hand Surg* 2005; 10:83-6.
28. Jongjirasiri Y. The results of percutaneous release of trigger digits by using full handle knife 15 degrees: an anatomical hand surface landmark and clinical study. *J Med Assoc Thai* 2007; 90:1348-55.
29. Tanaka J, Muraji M, Negoro H, Yamashita H, Nakano T, Nakano K. Subcutaneous release of trigger thumb and fingers in 210 fingers. *J Hand Surg* 1990; 15B:463-5.
30. Lalonde D, Bell M, Benoit P, Sparkes G, Denkler K, Chang P. A multicenter prospective study of 3,110 consecutive cases of elective epinephrine use in the fingers and hand: the Dalhousie project clinical phase. *J Hand Surg* 2005; 30A:1061-7.

#### Conflicto de intereses

Los autores hemos recibido ayuda económica de FUNDACIÓN MAPFRE para la realización de este trabajo. No hemos firmado ningún acuerdo por el que vayamos a recibir beneficios u honorarios por parte de alguna entidad comercial o de FUNDACIÓN MAPFRE.